

Bostar

Bostar



ZHONGSHAN BOSTAR ELECTRICAL APPLIANCES CO, LTD


Rhea Lee

SALES MANAGER

M 18022180460  
E Sales02@bostarelectric.com  
A No. 22 Jianye Rd., Huangpu Town, Zhongshan,  
Guangdong Province

ELECTRIC  
PRESSURE COOKER

PRESSURE COOKER SERIES



- \* Computer type
- \* 410 s/s housing
- \* 18 in 1 multi functional cooker
- \* 3 working pressure levels selectable (high, normal and low)
- \* 24 hours pre-heat
- \* Manual setting up to 24 hours of cooking time
- \* Automatic pressure relief over-pressure protection
- \* Lid with "one-touch" pressure relief valve with patent
- \* Touch control element with rotary knob
- \* Double non-stick coating cooking pot
- \* Ingenious design, more stable pressure and more accurate temperature
- \* Special design with patent
- \* CE/CB/UL/PED /FSC/ISO certificate available



heating                      rice                      chicken



JT-A530/A630/A830



JT-A531/A631/A831




JT-A532/A632/A832

| MODEL               | JT-A530/A531/A532      | JT-A630/A631/A632       | JT-A830/A831/A832       |
|---------------------|------------------------|-------------------------|-------------------------|
| VOLTAGE POWER       | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz | 1300W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 360*360*340            | 360*360*360             | 393*323*380             |
| CARTON SIZE (MM)    | 735*375*350            | 735*375*375             | 780*343*405             |
| OPTION CAPACITY (L) | 5                      | 6                       | 8                       |
| PCS/CTN             | 2                      | 2                       | 2                       |
| 20'                 | 656                    | 650                     | 540                     |
| 40HQ                | 1340                   | 1314                    | 1080                    |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

PRESSURE COOKER SERIES



- \* Computer type
- \* 410 s/s housing
- \* 18 in 1 multi functional cooker
- \* 3 working pressure levels selectable (high, normal and low)
- \* 24 hours pre-heat
- \* Manual setting up to 24 hours of cooking time
- \* Automatic pressure relief over-pressure protection
- \* Lid with "one-touch" pressure relief valve with patent
- \* Touch control element with rotary knob
- \* Double non-stick coating cooking pot
- \* Ingenious design, more stable pressure and more accurate temperature
- \* Special design with patent
- \* CE/CB/UL/PED /FSC/ISO certificate available



heating                      rice                      chicken



JT-A533/A633/A833



JT-A534/A634/A834

| MODEL               | JT-A533/A534           | JT-A633/A634            | JT-A833/A834            |
|---------------------|------------------------|-------------------------|-------------------------|
| VOLTAGE POWER       | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz | 1300W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 360*360*340            | 360*360*360             | 393*323*380             |
| CARTON SIZE (MM)    | 735*375*350            | 735*375*375             | 780*343*405             |
| OPTION CAPACITY (L) | 5                      | 6                       | 8                       |
| PCS/CTN             | 2                      | 2                       | 2                       |
| 20'                 | 656                    | 650                     | 540                     |
| 40HQ                | 1340                   | 1314                    | 1080                    |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

B+star


ELECTRIC

PRESSURE COOKER



JT-A512/A612

PRESSURE COOKER-10 SERIES



- \* Unique patent handle and lid
- \* Touch pad control , IMD panel, LCD display
- \* 11 in 1 Multi-functions
- \* 24 hours preset
- \* New way of opening & closing cover design , safe & easy



heating      rice      chicken



JT-A510/A610



JT-A510A/A610A

| MODEL               | JT-A510                | JT-A610                 | JT-A510A               | JT-A610A                |
|---------------------|------------------------|-------------------------|------------------------|-------------------------|
| VOLTAGE POWER       | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 330*350*365            | 330*350*380             | 330*350*365            | 330*350*380             |
| CARTON SIZE (MM)    | 680*370*375            | 680*370*400             | 680*370*375            | 680*370*400             |
| OPTION CAPACITY (L) | 5                      | 6                       | 5                      | 6                       |
| PCS/CTN             | 2                      | 2                       | 2                      | 2                       |
| 20'                 | 594                    | 556                     | 594                    | 556                     |
| 40HQ                | 1428                   | 1224                    | 1428                   | 1224                    |

ISO    CE    CB    EMC   RoHS   LVD    LFGB   SASO   ERP


B+star

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- \* Unique patent handle and lid
- \* Touch pad control , IMD panel, LCD display
- \* 11 in 1 Multi-functions
- \* 24 hours preset
- \* New way of opening & closing cover design , safe & easy



heating      rice      chicken



JT-A526/A626



JT-A528/A628

| MODEL               | JT-A526                 | JT-A626                  | JT-A528                 | JT-A628                  |
|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 333*323*360             | 333*323*380              | 333*323*360             | 333*323*380              |
| CARTON SIZE (MM)    | 680*343*380             | 680*343*405              | 680*343*380             | 680*343*405              |
| OPTION CAPACITY (L) | 5                       | 6                        | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                       | 2                        |
| 20'                 | 640                     | 640                      | 640                     | 640                      |
| 40HQ                | 1408                    | 1408                     | 1408                    | 1408                     |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP


B+star

ELECTRIC

PRESSURE COOKER



## PRESSURE COOKER-18 SERIES



- \* Unique Patent design
- \* Special One-click release function
- \* Double non-stick coating , aluminum inner pot
- \* 14 in 1 Multi-functions
- \* 24 hours preset



heating

rice

chicken



JT-A525/A625



JT-A516/A616

| MODEL               | JT-A525                 | JT-A625                  | JT-A516                 | JT-A616                  |
|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 325*325*340             | 325*325*352              | 325*315*340             | 325*315*352              |
| CARTON SIZE (MM)    | 670*340*360             | 670*340*370              | 670*325*360             | 670*325*370              |
| OPTION CAPACITY (L) | 5                       | 6                        | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                       | 2                        |
| 20'                 | 632                     | 632                      | 672                     | 672                      |
| 40HQ                | 1470                    | 1470                     | 1700                    | 1700                     |

ISO CE CB EMC RoHS LVD LFGB SASO ERP




ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- \* Unique Patent design
- \* Special One-click release function
- \* Double non-stick coating , aluminum inner pot
- \* 14 in 1 Multi-functions
- \* 24 hours preset



heating                  rice                  chicken



JT-A523/A623



JT-A508/A608

| MODEL               | JT-A523                | JT-A623                 | JT-A508                | JT-A608                 |
|---------------------|------------------------|-------------------------|------------------------|-------------------------|
| VOLTAGE POWER       | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 325*315*340            | 325*315*340             | 310*310*340            | 310*310*352             |
| CARTON SIZE (MM)    | 670*325*360            | 670*325*360             | 635*320*360            | 635*320*370             |
| OPTION CAPACITY (L) | 5                      | 6                       | 5                      | 6                       |
| PCS/CTN             | 2                      | 2                       | 2                      | 2                       |
| 20'                 | 672                    | 672                     | 750                    | 750                     |
| 40HQ                | 1700                   | 1700                    | 1810                   | 1810                    |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP


B+star

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- \* Unique Patent design
- \* Special One-click release function
- \* Double non-stick coating , aluminum inner pot
- \* 14 in 1 Multi-functions
- \* 24 hours preset



heating      rice      chicken



JT-A507/A607



JT-A318/A418/A518/A618



JT-A306/A406/A506/A606

| MODEL               | JT-A507                 | JT-A607                  | JT-A318                 | JT-A418                 | JT-A518                 | JT-A618                  |
|---------------------|-------------------------|--------------------------|-------------------------|-------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60HZ | 1000W 220-240V~ /50-60HZ | 710W 220-240V~ /50-60HZ | 800W 220-240V~ /50-60HZ | 900W 220-240V~ /50-60HZ | 1000W 220-240V~ /50-60HZ |
| GIFT BOX SIZE (MM)  | 325*315*340             | 325*315*352              | 290*290*320             | 295*295*340             | 325*315*340             | 325*315*352              |
| CARTON SIZE (MM)    | 670*325*360             | 670*325*370              | 600*310*335             | 615*315*355             | 670*325*360             | 670*325*370              |
| OPTION CAPACITY (L) | 5                       | 6                        | 3                       | 4                       | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                       | 2                       | 2                       | 2                        |
| 20'                 | 672                     | 672                      | 930                     | 920                     | 672                     | 672                      |
| 40HQ                | 1700                    | 1700                     | 2184                    | 1862                    | 1700                    | 1700                     |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP


B+star

ELECTRIC

PRESSURE COOKER



## PRESSURE COOKER SERIES



- \* Unique Patent design
- \* Special One-click release function
- \* Double non-stick coating , aluminum inner pot
- \* 11 in 1 Multi-functions
- \* 24 hours preset



heating

rice

chicken



JT-A521/A621



JT-A520/A620

| MODEL               | JT-A521                 | JT-A621                  | JT-A520                 | JT-A620                  |
|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 330*330*340             | 330*330*360              | 325*315*340             | 325*315*352              |
| CARTON SIZE (MM)    | 700*355*360             | 700*355*380              | 670*325*360             | 670*325*370              |
| OPTION CAPACITY (L) | 5                       | 6                        | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                       | 2                        |
| 20'                 | 594                     | 594                      | 672                     | 672                      |
| 40HQ                | 1386                    | 1386                     | 1700                    | 1700                     |


ISO CE CB EMC RoHS LVD LFGB SASO ERP

B+star

ELECTRIC

PRESSURE COOKER

PRESSURE COOKER SERIES



- \* Unique Patent design
- \* Touch pad control , IMD panel, LCD display
- \* 16 in 1 Multi-functions
- \* 24 hours preset



heating



rice



chicken



JT-A505/A605




JT-A522/A622

| MODEL               | JT-A505                 | JT-A605                  | JT-A522                 | JT-A622                  |
|---------------------|-------------------------|--------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz | 900W 220-240V~ /50-60Hz | 1000W 220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 325*325*340             | 325*325*352              | 325*325*340             | 325*325*352              |
| CARTON SIZE (MM)    | 670*340*360             | 670*340*370              | 670*340*360             | 670*340*370              |
| OPTION CAPACITY (L) | 5                       | 6                        | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                       | 2                        |
| 20'                 | 632                     | 632                      | 632                     | 632                      |
| 40HQ                | 1470                    | 1700                     | 1470                    | 1470                     |

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- \* Digital model, touch control
- \* 410 s/s housing
- \* 14 in 1 Multi-functions
- \* 24 hours preset



heating                      rice                      chicken



JT-A513                      JT-A613




JT-A519                      JT-A619

| MODEL               | JT-A513                    | JT-A613                    | JT-A519                    | JT-A619                    |
|---------------------|----------------------------|----------------------------|----------------------------|----------------------------|
| VOLTAGE POWER       | 900W/220-240V~<br>/50-60Hz | 900W/220-240V~<br>/50-60Hz | 900W/220-240V~<br>/50-60Hz | 900W/220-240V~<br>/50-60Hz |
| GIFT BOX SIZE (MM)  | 310*310*340                | 310*310*352                | 310*310*340                | 310*310*352                |
| CARTON SIZE (MM)    | 635*325*360                | 635*325*370                | 635*325*360                | 635*325*370                |
| OPTION CAPACITY (L) | 5                          | 6                          | 5                          | 6                          |
| PCS/CTN             | 2                          | 2                          | 2                          | 2                          |
| 20'                 | 750                        | 750                        | 750                        | 750                        |
| 40HQ                | 1810                       | 1810                       | 1810                       | 1810                       |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

PRESSURE COOKER SERIES



- \* Digital model, touch control
- \* 410 s/s housing
- \* 14 in 1 Multi-functions
- \* 24 hours preset



stew                      bone                      beans



JT-A401/A501/A601/A801/A1001/A1201




JT-A511/A611

| MODEL               | JT-A401     | JT-A501     | JT-A601     | JT-A801     | JT-A1001    | JT-A1201    | JT-A511     | JT-A611     |
|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| VOLTAGE POWER       | 800W        | 900W        | 1000W       | 1300W       | 1600W       | 1600W       | 900W        | 1000W       |
| GIFT BOX SIZE (MM)  | 295*295*340 | 310*310*340 | 300*300*310 | 355*355*395 | 380*380*390 | 380*380*415 | 350*320*350 | 350*320*360 |
| CARTON SIZE (MM)    | 615*315*355 | 635*320*360 | 625*315*330 | 730*375*415 |             |             | 715*330*370 | 715*330*380 |
| OPTION CAPACITY (L) | 4           | 5           | 6           | 8           | 10          | 12          | 5           | 6           |
| PCS/CTN             | 2           | 2           | 2           | 2           | 1           | 1           | 2           | 2           |
| 20'                 | 920         | 750         | 750         | 576         | 539         | 539         | 672         | 672         |
| 40HQ                | 1862        | 1810        | 1810        | 1152        | 1116        | 1116        | 1568        | 1568        |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

PRESSURE COOKER SERIES



- \* Full line 4-12L
- \* Digital model, touch control
- \* 410s/s housing
- \* 24 hours preset



JT-A509/A609



JT-A417/A517/A617/A817/A1017/A1217




JT-A403/A503/A603/A803/A1003/A1203

| MODEL               | JT-A417                 | JT-A517                 | JT-A617                  | JT-A817                  | JT-A1017                 | JT-A1217                 |
|---------------------|-------------------------|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| VOLTAGE POWER       | 800W 220-240V~ /50-60Hz | 900W/220-240V~ /50-60Hz | 1000W/220-240V~ /50-60Hz | 1300W/220-240V~ /50-60Hz | 1600W/220-240V~ /50-60Hz | 1600W/220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 290*290*340             | 310*310*340             | 310*310*352              | 355*355*395              | 380*380*390              | 380*380*415              |
| CARTON SIZE (MM)    | 615*315*355             | 635*320*360             | 635*320*370              | 730*375*415              |                          |                          |
| OPTION CAPACITY (L) | 4                       | 5                       | 6                        | 8                        | 10                       | 12                       |
| PCS/CTN             | 2                       | 2                       | 2                        | 2                        | 1                        | 1                        |
| 20'                 | 920                     | 750                     | 750                      | 576                      | 539                      | 539                      |
| 40HQ                | 1862                    | 1810                    | 1810                     | 1152                     | 1116                     | 1116                     |

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- \* Digital model, touch control
- \* 410 s/s housing
- \* 14 in 1 Multi-functions
- \* 24 hours preset



JT-A514/A614/A814



JT-A515/A615/A815



JT-A302/A402/A502/A602

| MODEL               | JT-A515                 | JT-A615                  | JT-A815                  | JT-A302                 | JT-A402                 | JT-A502                 | JT-A602                  |
|---------------------|-------------------------|--------------------------|--------------------------|-------------------------|-------------------------|-------------------------|--------------------------|
| VOLTAGE POWER       | 900W 220-240V~ /50-60Hz | 1000W/220-240V~ /50-60Hz | 1300W/220-240V~ /50-60Hz | 710W/220-240V~ /50-60Hz | 800W/220-240V~ /50-60Hz | 800W/220-240V~ /50-60Hz | 1000W/220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 310*310*340             | 310*310*352              | 355*355*395              | 290*290*320             | 295*295*340             | 310*310*340             | 310*310*352              |
| CARTON SIZE (MM)    | 635*320*360             | 635*320*370              | 730*375*415              | 600*310*335             | 615*315*355             | 635*320*360             | 635*320*370              |
| OPTION CAPACITY (L) | 5                       | 6                        | 8                        | 3                       | 4                       | 5                       | 6                        |
| PCS/CTN             | 2                       | 2                        | 2                        | 2                       | 2                       | 2                       | 2                        |
| 20'                 | 750                     | 750                      | 576                      | 930                     | 920                     | 750                     | 750                      |
| 40HQ                | 1810                    | 1810                     | 1152                     | 2184                    | 1862                    | 1810                    | 1810                     |

ISO CE CB EMC RoHS LVD LFGB SASO ERP


B+star

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-09 SERIES



- \* Computer type
- \* Plastic housing
- \* Button controller
- \* White, red color
- \* 8 in 1 Multi-functions
- \* 24 hours preset



JT-A203/A253



JT-A201




JT-B201

| MODEL               | JT-A203                 | JT-A253                 | JT-A201                 | JT-B201                 |
|---------------------|-------------------------|-------------------------|-------------------------|-------------------------|
| VOLTAGE POWER       | 710W 220-240V~ /50-60Hz | 710W 220-240V~ /50-60Hz | 710W 220-240V~ /50-60Hz | 710W 220-240V~ /50-60Hz |
| GIFT BOX SIZE (MM)  | 290*290*320             | 290*290*320             | 275*275*310             | 275*275*310             |
| CARTON SIZE (MM)    | 600*310*335             | 600*310*335             | 570*295*640             | 570*295*640             |
| OPTION CAPACITY (L) | 2                       | 2.5                     | 2                       | 2                       |
| PCS/CTN             | 2                       | 2                       | 4                       | 4                       |
| 20'                 | 930                     | 930                     | 1076                    | 1076                    |
| 40HQ                | 2184                    | 2184                    | 2684                    | 2684                    |

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER-MINI LITRE SERIES



- \* Digital model, touch control
- \* 410s/s housing
- \* 8 in 1 Multi-functions
- \* 24 hours preset



Multi-grain rice

rice

chicken



JT-A301




JT-A303

| MODEL               | JT-A301                | JT-A303                |
|---------------------|------------------------|------------------------|
| VOLTAGE POWER       | 710W 220-240V~/50-60Hz | 710W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 290*290*320            | 290*290*320            |
| CARTON SIZE (MM)    | 600*310*335            | 600*310*335            |
| OPTION CAPACITY (L) | 3                      | 3                      |
| PCS/CTN             | 2                      | 2                      |
| 20'                 | 930                    | 930                    |
| 40HQ                | 2184                   | 2184                   |

ISO  CE  CB  EMC  RoHS  LVD  LFGB  SASO  ERP

PRESSURE COOKER-MINI LITRE SERIES



- \* Unique Patent design;
- \* Special One-click release function;
- \* Double non-stick coating , aluminum inner pot;
- \* 8in 1 Multi-functions.



heating

rice

chicken



JT-A205

JT-A255




JT-B205

JT-B255

| MODEL               | JT-A205                | JT-A255                | JT-B205                | JT-B255                |
|---------------------|------------------------|------------------------|------------------------|------------------------|
| VOLTAGE POWER       | 710W 220-240V~/50-60Hz | 710W 220-240V~/50-60Hz | 710W 220-240V~/50-60Hz | 710W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 275*275*310            | 275*275*325            | 275*275*310            | 275*275*325            |
| CARTON SIZE (MM)    | 570*290*640            | 570*290*680            | 570*290*640            | 570*290*680            |
| OPTION CAPACITY (L) | 2                      | 2.5                    | 2                      | 2.5                    |
| PCS/CTN             | 4                      | 4                      | 4                      | 4                      |
| 20'                 | 1076                   | 1076                   | 1076                   | 1076                   |
| 40HQ                | 2684                   | 2684                   | 2684                   | 2684                   |

ISO  CE  CB  EMC  RoHS  LVD  LFGB  SASO  ERP

PRESSURE COOKER SERIES



- \* Mechanical model, knob controller
- \* 410 s/s housing
- \* Double non-stick coating , aluminum inner pot
- \* 8 in 1 Multi-functions



heating                      rice                      chicken



JT-B318/B418/B518/B618




JT-B401/B501/B601/B801/B1001/B1201

| MODEL               | JT-B318                    | JT-B418                    | JT-B518                    | JT-B618                     |
|---------------------|----------------------------|----------------------------|----------------------------|-----------------------------|
| VOLTAGE POWER       | 710W/220-240V~<br>/50-60Hz | 800W 220-240V~<br>/50-60Hz | 900W/220-240V~<br>/50-60Hz | 1000W/220-240V~<br>/50-60Hz |
| GIFT BOX SIZE (MM)  | 290*290*320                | 295*295*340                | 310*325*340                | 310*325*352                 |
| CARTON SIZE (MM)    | 600*310*335                | 615*315*355                | 670*325*360                | 670*325*370                 |
| OPTION CAPACITY (L) | 3                          | 4                          | 5                          | 5                           |
| PCS/CTN             | 2                          | 2                          | 2                          | 2                           |
| 20'                 | 930                        | 920                        | 700                        | 700                         |
| 40HQ                | 2184                       | 1862                       | 1700                       | 1700                        |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

PRESSURE COOKER SERIES



- \* Full line 4-12L
- \* Digital/ Mechanical model, touch /knob control
- \* 410s/s housing
- \* 8 in 1 Multi-functions
- \* 24 hours preset



heating                      rice                      chicken



JT-B417/B517/B617/B817/B1017/B1217




JT-B403/B503/B603/B803/B1003/B1203

| MODEL              | JT-B417                  | JT-B517                  | JT-B617                   | JT-B817                   | JT-B1017                  | JT-B1217                  |
|--------------------|--------------------------|--------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| VOLTAGE POWER      | 800W/220-240V<br>50-60Hz | 900W/220-240V<br>50-60Hz | 1000W/220-240V<br>50-60Hz | 1300W/220-240V<br>50-60Hz | 1600W/220-240V<br>50-60Hz | 1600W/220-240V<br>50-60Hz |
| GIFT BOX SIZE (MM) | 295*295*340              | 310*310*340              | 310*310*352               | 355*355*395               | 380*380*390               | 380*380*415               |
| CARTON SIZE (MM)   | 605*310*355              | 635*325*360              | 635*325*370               | 730*365*610               |                           |                           |
| OPTION CAPACITY(L) | 4                        | 5                        | 6                         | 8                         | 10                        | 12                        |
| PCS/CTN            | 2                        | 2                        | 2                         | 2                         | 1                         | 1                         |
| 20'                | 920                      | 750                      | 750                       | 576                       | 540                       | 540                       |
| 40HQ               | 1862                     | 1810                     | 1810                      | 1152                      | 1116                      | 1116                      |

ISO    CE    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

COMMERCIAL COOKERS



- \* Full line13-25L
- \* Digital model, touch control
- \* 410s/s housing
- \* 8 in 1 Multi-functions
- \* 24 hours preset



JT-A1502/A1702/A2102/A2502



JT-XB1303/XB1603

| MODEL              | JT-A1502                    | JT-A1702                    | JT-A2102                    | JT-A2502                    | JT-XB1303                 | JT-XB1603                 |
|--------------------|-----------------------------|-----------------------------|-----------------------------|-----------------------------|---------------------------|---------------------------|
| VOLTAGE POWER      | 2000W/220-240V~<br>/50-60Hz | 2000W/220-240V~<br>/50-60Hz | 3000W/220-240V~<br>/50-60Hz | 3000W/220-240V~<br>/50-60Hz | 1950W/220-240V<br>50-60Hz | 1950W/220-240V<br>50-60Hz |
| GIFT BOX SIZE (MM) | 500*500*445                 | 500*500*470                 | 530*530*480                 | 530*530*520                 | 450*450*350               | 450*450*395               |
| OPTION CAPACITY(L) | 15                          | 17                          | 21                          | 25                          | 13                        | 16                        |
| PCS/CTN            | 1                           | 1                           | 1                           | 1                           | 1                         | 1                         |
| 20'                | 280                         | 280                         | 244                         | 226                         | 395                       | 350                       |
| 40HQ               | 570                         | 460                         | 440                         | 440                         | 910                       | 780                       |

ISO CE CB EMC RoHS LVD LFGB SASO ERP




RICE COOKER

PRESSURE COOKER



SUGAR REDUCE RICE COOKER



- \* Digital model, Touch pad control one- piece IMD panel
- \* Plastic housing
- \* Non-stick coating with inner pot
- \* Handle with wooden pattern
- \* With #304 s/s sugar reduced accessory
- \* 7 in 1 Multi-functions



Multi-grain rice      rice      chicken



JT-FB202




JT-FB201

| MODEL               | JT-FB202    | JT-FB201    |
|---------------------|-------------|-------------|
| VOLTAGE POWER       | 400W        | 400W        |
| GIFT BOX SIZE (MM)  | 310*270*260 | 310*270*260 |
| CARTON SIZE (MM)    | 580*335*570 | 580*335*570 |
| OPTION CAPACITY (L) | 2           | 2           |
| PCS/CTN             | 4           | 4           |
| 20'                 | 1088        | 1088        |
| 40HQ                | 2540        | 2540        |

ISO  CE  CB  EMC  RoHS  LVD  LFGB  SASO  ERP

RICE COOKER SERIES



- \* Digital model, touch pad control with IMD control panel
- \* 410s/s housing
- \* Non-stick coating with aluminum inner pot
- \* 8in 1 Multi-functions



Multi-grain rice      rice      chicken



JT-FB301




JT-FB302

| MODEL               | JT-FB301    | JT-FB302    |
|---------------------|-------------|-------------|
| VOLTAGE POWER       | 500W        | 500W        |
| GIFT BOX SIZE (MM)  | 290*290*270 | 375*300*275 |
| CARTON SIZE (MM)    | 590*380*560 | 625*390*310 |
| OPTION CAPACITY (L) | 3           | 3           |
| PCS/CTN             | 4           | 2           |
| 20'                 | 928         | 738         |
| 40HQ                | 2236        | 1748        |

ISO  CE  CB  EMC  RoHS  LVD  LFGB  SASO  ERP

MINI RICE COOKER



- \* Mechanical model
- \* 410s/s housing
- \* Double non-stick coating , aluminum inner pot
- \* Simply and easy cooking



Multi-grain rice      rice      chicken




JT-XB151

|                     |             |
|---------------------|-------------|
| MODEL               | JT-XB151    |
| VOLTAGE POWER       | 300W        |
| GIFT BOX SIZE (MM)  | 255*255*250 |
| CARTON SIZE (MM)    | 750*275*460 |
| OPTION CAPACITY (L) | 1.5         |
| PCS/CTN             | 6           |
| 20'                 | 1770        |
| 40HQ                | 3600        |

ISO    €    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

MINI RICE COOKER



- \* Mechanical model
- \* 410s/s housing, optional colors
- \* Double non-stick coating , aluminum inner pot
- \* Simply and easy cooking



Multi-grain rice      rice      chicken




JT-XB151

|                     |             |
|---------------------|-------------|
| MODEL               | JT-XB151    |
| VOLTAGE POWER       | 300W        |
| GIFT BOX SIZE (MM)  | 255*255*250 |
| CARTON SIZE (MM)    | 750*275*460 |
| OPTION CAPACITY (L) | 1.5         |
| PCS/CTN             | 6           |
| 20'                 | 1770        |
| 40HQ                | 3600        |

ISO    €    CB    EMC    RoHS    LVD    LFGB    SASO    ERP

RICE COOKER SERIES



- \* Digital model, touch control
- \* 410s/s housing
- \* Non-stick coating with aluminum inner pot
- \* 8in 1 Multi-functions



JT-XBD402/XBD502/XBD602




JT-XBD401/XBD501/XBD601

| MODEL               | JT-XBD401              | JT-XBD501              | JT-XBD601               |
|---------------------|------------------------|------------------------|-------------------------|
| VOLTAGE POWER       | 700W 220-240V~/50-60Hz | 900W 220-240V~/50-60Hz | 1000W 220-240V~/50-60Hz |
| GIFT BOX SIZE (MM)  | 300*300*310            | 300*300*325            | 305*300*335             |
| CARTON SIZE (MM)    | 625*315*330            | 625*315*345            | 630*320*345             |
| OPTION CAPACITY (L) | 4                      | 5                      | 6                       |
| PCS/CTN             | 2                      | 2                      | 2                       |
| 20'                 | 1014                   | 970                    | 948                     |
| 40HQ                | 1862                   | 1862                   | 1800                    |

ISO CE CB EMC RoHS LVD LFGB SASO ERP

RICE COOKER SERIES



- \* Mecanical model
- \* 410s/s housing
- \* Non-stick coating with aluminum inner pot
- \* Simply and easy cooking



JT-XB202/XB302/XB402/XB502



JT-XB301/XB401/XB501/XB601

| MODEL               | JT-XB202    | JT-XB302    | JT-XB402    | JT-XB502    | JT-XB301    | JT-XB401    | JT-XB501    | JT-XB601    |
|---------------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|-------------|
| VOLTAGE POWER       | 400W        | 500W        | 700W        | 900W        | 500W        | 700W        | 900W        | 1000W       |
| GIFT BOX SIZE (MM)  | 240*240*260 | 280*285*280 | 300*300*310 | 300*300*325 | 280*285*280 | 300*300*310 | 300*300*325 | 305*300*335 |
| CARTON SIZE (MM)    | 740*255*540 | 578*295*580 | 625*315*330 | 625*315*345 | 578*295*580 | 625*315*330 | 625*315*345 | 630*320*345 |
| OPTION CAPACITY (L) | 2           | 3           | 4           | 5           | 3           | 4           | 5           | 6           |
| PCS/CTN             | 6           | 4           | 2           | 2           | 4           | 2           | 2           | 2           |
| 20'                 | 1644        | 1332        | 1014        | 970         | 1332        | 1014        | 970         | 948         |
| 40HQ                | 4032        | 2812        | 1862        | 1862        | 2812        | 1862        | 1862        | 1800        |

ISO CE CB EMC RoHS LVD LFGB SASO ERP