



ZHONGSHAN JETOUR ELECTRIC APPLIANCE CO., LTD.

2F, BUILDING 1, NO.22 ,JIANYE ROAD,HUANGPU TOWN, ZHONGSHAN ,GUANGDONG,CHINA

ELECTRIC

—
PRESSURE COOKER


ELECTRIC

PRESSURE COOKER




JT-A512/A612

PRESSURE COOKER-10 SERIES



- * Unique patent handle and lid
- * Touch pad control , IMD panel, LCD display
- * 11 in 1 Multi-functions
- * 24 hours preset
- * New way of opening & closing cover design , safe & easy



heating rice chicken



JT-A510/A610



JT-A510A/A610A

MODEL	JT-A510	JT-A610	JT-A510A	JT-A610A
VOLTAGE POWER	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	330*350*365	330*350*380	330*350*365	330*350*380
CARTON SIZE (MM)	680*370*375	680*370*400	680*370*375	680*370*400
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	594	556	594	556
40HQ	1428	1224	1428	1224


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC


PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- * Unique patent handle and lid
- * Touch pad control , IMD panel, LCD display
- * 11 in 1 Multi-functions
- * 24 hours preset
- * New way of opening & closing cover design , safe & easy



heating rice chicken



JT-A526/A626



JT-A528/A628

MODEL	JT-A526	JT-A626	JT-A528	JT-A628
VOLTAGE POWER	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	333*323*360	333*323*380	333*323*360	333*323*380
CARTON SIZE (MM)	680*343*380	680*343*405	680*343*380	680*343*405
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	640	640	640	640
40HQ	1408	1408	1408	1408


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- * Unique Patent design
- * Special One-click release function
- * Double non-stick coating , aluminum inner pot
- * 14 in 1 Multi-functions
- * 24 hours preset



JT-A525/A625



JT-A516/A616

MODEL	JT-A525	JT-A625	JT-A516	JT-A616
VOLTAGE POWER	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	325*325*340	325*325*352	325*315*340	325*315*352
CARTON SIZE (MM)	670*340*360	670*340*370	670*325*360	670*325*370
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	632	632	672	672
40HQ	1470	1470	1700	1700


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- * Unique Patent design
- * Special One-click release function
- * Double non-stick coating , aluminum inner pot
- * 14 in 1 Multi-functions
- * 24 hours preset



JT-A523/A623



JT-A508/A608

MODEL	JT-A523	JT-A623	JT-A508	JT-A608
VOLTAGE POWER	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	325*315*340	325*315*340	310*310*340	310*310*352
CARTON SIZE (MM)	670*325*360	670*325*360	635*320*360	635*320*370
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	672	672	750	750
40HQ	1700	1700	1810	1810


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-18 SERIES



- * Unique Patent design
- * Special One-click release function
- * Double non-stick coating , aluminum inner pot
- * 14 in 1 Multi-functions
- * 24 hours preset



JT-A507/A607



JT-A318/A418/A518/A618



JT-A306/A406/A506/A606

MODEL	JT-A507	JT-A607	JT-A318	JT-A418	JT-A518	JT-A618
VOLTAGE POWER	900W 220-240V~ /50-60HZ	1000W 220-240V~ /50-60HZ	710W 220-240V~ /50-60HZ	800W 220-240V~ /50-60HZ	900W 220-240V~ /50-60HZ	1000W 220-240V~ /50-60HZ
GIFT BOX SIZE (MM)	325*315*340	325*315*352	290*290*320	295*295*340	325*315*340	325*315*352
CARTON SIZE (MM)	670*325*360	670*325*370	600*310*335	615*315*355	670*325*360	670*325*370
OPTION CAPACITY (L)	5	6	3	4	5	6
PCS/CTN	2	2	2	2	2	2
20'	672	672	930	920	672	672
40HQ	1700	1700	2184	1862	1700	1700


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC


PRESSURE COOKER



PRESSURE COOKER SERIES



- * Unique Patent design
- * Special One-click release function
- * Double non-stick coating , aluminum inner pot
- * 11 in 1 Multi-functions
- * 24 hours preset



heating rice chicken



JT-A521/A621



JT-A520/A620

MODEL	JT-A521	JT-A621	JT-A520	JT-A620
VOLTAGE POWER	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz	900W 220-240V~ /50-60Hz	1000W 220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	330*330*340	330*330*360	325*315*340	325*315*352
CARTON SIZE (MM)	700*355*360	700*355*380	670*325*360	670*325*370
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	594	594	672	672
40HQ	1386	1386	1700	1700


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER SERIES



- * Unique Patent design
- * Touch pad control , IMD panel, LCD display
- * 16 in 1 Multi-functions
- * 24 hours preset



heating



rice



chicken



JT-A505/A605




JT-A522/A622

MODEL	JT-A505	JT-A605	JT-A522	JT-A622
VOLTAGE POWER	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	325*325*340	325*325*352	325*325*340	325*325*352
CARTON SIZE (MM)	670*340*360	670*340*370	670*340*360	670*340*370
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	632	632	632	632
40HQ	1470	1700	1470	1470

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Digital model, touch control
- * 410 s/s housing
- * 14 in 1 Multi-functions
- * 24 hours preset



heating rice chicken



JT-A513 JT-A613




JT-A519 JT-A619

MODEL	JT-A513	JT-A613	JT-A519	JT-A619
VOLTAGE POWER	900W/220-240V~ /50-60Hz	900W/220-240V~ /50-60Hz	900W/220-240V~ /50-60Hz	900W/220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	310*310*340	310*310*352	310*310*340	310*310*352
CARTON SIZE (MM)	635*325*360	635*325*370	635*325*360	635*325*370
OPTION CAPACITY (L)	5	6	5	6
PCS/CTN	2	2	2	2
20'	750	750	750	750
40HQ	1810	1810	1810	1810

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Digital model, touch control
- * 410 s/s housing
- * 14 in 1 Multi-functions
- * 24 hours preset



stew bone beans



JT-A401/A501/A601/A801/A1001/A1201




JT-A511/A611

MODEL	JT-A401	JT-A501	JT-A601	JT-A801	JT-A1001	JT-A1201	JT-A511	JT-A611
VOLTAGE POWER	800W	900W	1000W	1300W	1600W	1600W	900W	1000W
GIFT BOX SIZE (MM)	295*295*340	310*310*340	300*300*310	355*355*395	380*380*390	380*380*415	350*320*350	350*320*360
CARTON SIZE (MM)	615*315*355	635*320*360	625*315*330	730*375*415			715*330*370	715*330*380
OPTION CAPACITY (L)	4	5	6	8	10	12	5	6
PCS/CTN	2	2	2	2	1	1	2	2
20'	920	750	750	576	539	539	672	672
40HQ	1862	1810	1810	1152	1116	1116	1568	1568

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Full line 4-12L
- * Digital model, touch control
- * 410s/s housing
- * 24 hours preset



JT-A509/A609



JT-A417/A517/A617/A817/A1017/A1217




JT-A403/A503/A603/A803/A1003/A1203

MODEL	JT-A417	JT-A517	JT-A617	JT-A817	JT-A1017	JT-A1217
VOLTAGE POWER	800W 220-240V~ /50-60Hz	900W/220-240V~ /50-60Hz	1000W/220-240V~ /50-60Hz	1300W/220-240V~ /50-60Hz	1600W/220-240V~ /50-60Hz	1600W/220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	290*290*340	310*310*340	310*310*352	355*355*395	380*380*390	380*380*415
CARTON SIZE (MM)	615*315*355	635*320*360	635*320*370	730*375*415		
OPTION CAPACITY (L)	4	5	6	8	10	12
PCS/CTN	2	2	2	2	1	1
20'	920	750	750	576	539	539
40HQ	1862	1810	1810	1152	1116	1116

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Digital model, touch control
- * 410 s/s housing
- * 14 in 1 Multi-functions
- * 24 hours preset



JT-A514/A614/A814



JT-A515/A615/A815



JT-A302/A402/A502/A602

MODEL	JT-A515	JT-A615	JT-A815	JT-A302	JT-A402	JT-A502	JT-A602
VOLTAGE POWER	900W 220-240V~ /50-60Hz	1000W/220-240V~ /50-60Hz	1300W/220-240V~ /50-60Hz	710W/220-240V~ /50-60Hz	800W/220-240V~ /50-60Hz	800W/220-240V~ /50-60Hz	1000W/220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	310*310*340	310*310*352	355*355*395	290*290*320	295*295*340	310*310*340	310*310*352
CARTON SIZE (MM)	635*320*360	635*320*370	730*375*415	600*310*335	615*315*355	635*320*360	635*320*370
OPTION CAPACITY (L)	5	6	8	3	4	5	6
PCS/CTN	2	2	2	2	2	2	2
20'	750	750	576	930	920	750	750
40HQ	1810	1810	1152	2184	1862	1810	1810


ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC

PRESSURE COOKER



PRESSURE COOKER-09 SERIES



- * Computer type
- * Plastic housing
- * Button controller
- * White, red color
- * 8 in 1 Multi-functions
- * 24 hours preset



JT-A203/A253



JT-A201




JT-B201

MODEL	JT-A203	JT-A253	JT-A201	JT-B201
VOLTAGE POWER	710W 220-240V~ /50-60Hz	710W 220-240V~ /50-60Hz	710W 220-240V~ /50-60Hz	710W 220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	290*290*320	290*290*320	275*275*310	275*275*310
CARTON SIZE (MM)	600*310*335	600*310*335	570*295*640	570*295*640
OPTION CAPACITY (L)	2	2.5	2	2
PCS/CTN	2	2	4	4
20'	930	930	1076	1076
40HQ	2184	2184	2684	2684

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER-MINI LITRE SERIES



- * Digital model, touch control
- * 410s/s housing
- * 8 in 1 Multi-functions
- * 24 hours preset



Multi-grain rice

rice

chicken



JT-A301




JT-A303

MODEL	JT-A301	JT-A303
VOLTAGE POWER	710W 220-240V~/50-60Hz	710W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	290*290*320	290*290*320
CARTON SIZE (MM)	600*310*335	600*310*335
OPTION CAPACITY (L)	3	3
PCS/CTN	2	2
20'	930	930
40HQ	2184	2184

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER-MINI LITRE SERIES



- * Unique Patent design;
- * Special One-click release function;
- * Double non-stick coating , aluminum inner pot;
- * 8in 1 Multi-functions.



heating

rice

chicken



JT-A205



JT-B205


JT-A255

JT-B255

MODEL	JT-A205	JT-A255	JT-B205	JT-B255
VOLTAGE POWER	710W 220-240V~/50-60Hz	710W 220-240V~/50-60Hz	710W 220-240V~/50-60Hz	710W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	275*275*310	275*275*325	275*275*310	275*275*325
CARTON SIZE (MM)	570*290*640	570*290*680	570*290*640	570*290*680
OPTION CAPACITY (L)	2	2.5	2	2.5
PCS/CTN	4	4	4	4
20'	1076	1076	1076	1076
40HQ	2684	2684	2684	2684

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Mechanical model, knob controller
- * 410 s/s housing
- * Double non-stick coating , aluminum inner pot
- * 8 in 1 Multi-functions



heating rice chicken



JT-B318/B418/B518/B618




JT-B401/B501/B601/B801/B1001/B1201

MODEL	JT-B318	JT-B418	JT-B518	JT-B618
VOLTAGE POWER	710W/220-240V~ /50-60Hz	800W 220-240V~ /50-60Hz	900W/220-240V~ /50-60Hz	1000W/220-240V~ /50-60Hz
GIFT BOX SIZE (MM)	290*290*320	295*295*340	310*325*340	310*325*352
CARTON SIZE (MM)	600*310*335	615*315*355	670*325*360	670*325*370
OPTION CAPACITY (L)	3	4	5	5
PCS/CTN	2	2	2	2
20'	930	920	700	700
40HQ	2184	1862	1700	1700

ISO CE CB EMC RoHS LVD LFGB SASO ERP

PRESSURE COOKER SERIES



- * Full line 4-12L
- * Digital/ Mechanical model, touch /knob control
- * 410s/s housing
- * 8 in 1 Multi-functions
- * 24 hours preset



heating rice chicken



JT-B417/B517/B617/B817/B1017/B1217




JT-B403/B503/B603/B803/B1003/B1203

MODEL	JT-B417	JT-B517	JT-B617	JT-B817	JT-B1017	JT-B1217
VOLTAGE POWER	800W/220-240V 50-60Hz	900W/220-240V 50-60Hz	1000W/220-240V 50-60Hz	1300W/220-240V 50-60Hz	1600W/220-240V 50-60Hz	1600W/220-240V 50-60Hz
GIFT BOX SIZE (MM)	295*295*340	310*310*340	310*310*352	355*355*395	380*380*390	380*380*415
CARTON SIZE (MM)	605*310*355	635*325*360	635*325*370	730*365*610		
OPTION CAPACITY(L)	4	5	6	8	10	12
PCS/CTN	2	2	2	2	1	1
20'	920	750	750	576	540	540
40HQ	1862	1810	1810	1152	1116	1116

ISO CE CB EMC RoHS LVD LFGB SASO ERP

COMMERCIAL COOKERS



- * Full line13-25L
- * Digital model, touch control
- * 410s/s housing
- * 8 in 1 Multi-functions
- * 24 hours preset



JT-A1502/A1702/A2102/A2502



JT-XB1303/XB1603

MODEL	JT-A1502	JT-A1702	JT-A2102	JT-A2502	JT-XB1303	JT-XB1603
VOLTAGE POWER	2000W/220-240V~ /50-60Hz	2000W/220-240V~ /50-60Hz	3000W/220-240V~ /50-60Hz	3000W/220-240V~ /50-60Hz	1950W/220-240V 50-60Hz	1950W/220-240V 50-60Hz
GIFT BOX SIZE (MM)	500*500*445	500*500*470	530*530*480	530*530*520	450*450*350	450*450*395
OPTION CAPACITY(L)	15	17	21	25	13	16
PCS/CTN	1	1	1	1	1	1
20'	280	280	244	226	395	350
40HQ	570	460	440	440	910	780

ISO CE CB EMC RoHS LVD LFGB SASO ERP




RICE COOKER


PRESSURE COOKER



SUGAR REDUCE RICE COOKER



- * Digital model, Touch pad control one- piece IMD panel
- * Plastic housing
- * Non-stick coating with inner pot
- * Handle with wooden pattern
- * With #304 s/s sugar reduced accessory
- * 7 in 1 Multi-functions



Multi-grain rice rice chicken



JT-FB202




JT-FB201

MODEL	JT-FB202	JT-FB201
VOLTAGE POWER	400W	400W
GIFT BOX SIZE (MM)	310*270*260	310*270*260
CARTON SIZE (MM)	580*335*570	580*335*570
OPTION CAPACITY (L)	2	2
PCS/CTN	4	4
20'	1088	1088
40HQ	2540	2540

ISO € CB EMC RoHS LVD LFGB SASO ERP

RICE COOKER SERIES



- * Digital model, touch pad control with IMD control panel
- * 410s/s housing
- * Non-stick coating with aluminum inner pot
- * 8in 1 Multi-functions



Multi-grain rice rice chicken



JT-FB301




JT-FB302


MODEL	JT-FB301	JT-FB302
VOLTAGE POWER	500W	500W
GIFT BOX SIZE (MM)	290*290*270	375*300*275
CARTON SIZE (MM)	590*380*560	625*390*310
OPTION CAPACITY (L)	3	3
PCS/CTN	4	2
20'	928	738
40HQ	2236	1748

ISO € CB EMC RoHS LVD LFGB SASO ERP

MINI RICE COOKER



- * Mechanical model
- * 410s/s housing
- * Double non-stick coating , aluminum inner pot
- * Simply and easy cooking



Multi-grain rice rice chicken




JT-XB151


MODEL	JT-XB151
VOLTAGE POWER	300W
GIFT BOX SIZE (MM)	255*255*250
CARTON SIZE (MM)	750*275*460
OPTION CAPACITY (L)	1.5
PCS/CTN	6
20'	1770
40HQ	3600

ISO € CB EMC RoHS LVD LFGB SASO ERP

MINI RICE COOKER



- * Mechanical model
- * 410s/s housing, optional colors
- * Double non-stick coating , aluminum inner pot
- * Simply and easy cooking



Multi-grain rice rice chicken




JT-XB151


MODEL	JT-XB151
VOLTAGE POWER	300W
GIFT BOX SIZE (MM)	255*255*250
CARTON SIZE (MM)	750*275*460
OPTION CAPACITY (L)	1.5
PCS/CTN	6
20'	1770
40HQ	3600

ISO € CB EMC RoHS LVD LFGB SASO ERP

RICE COOKER SERIES



- * Digital model, touch control
- * 410s/s housing
- * Non-stick coating with aluminum inner pot
- * 8in 1 Multi-functions



JT-XBD402/XBD502/XBD602




JT-XBD401/XBD501/XBD601

MODEL	JT-XBD401	JT-XBD501	JT-XBD601
VOLTAGE POWER	700W 220-240V~/50-60Hz	900W 220-240V~/50-60Hz	1000W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	300*300*310	300*300*325	305*300*335
CARTON SIZE (MM)	625*315*330	625*315*345	630*320*345
OPTION CAPACITY (L)	4	5	6
PCS/CTN	2	2	2
20'	1014	970	948
40HQ	1862	1862	1800

ISO CE CB EMC RoHS LVD LFGB SASO ERP

RICE COOKER SERIES



- * Mecanical model
- * 410s/s housing
- * Non-stick coating with aluminum inner pot
- * Simply and easy cooking



JT-XB202/XB302/XB402/XB502



JT-XB301/XB401/XB501/XB601

MODEL	JT-XB202	JT-XB302	JT-XB402	JT-XB502	JT-XB301	JT-XB401	JT-XB501	JT-XB601
VOLTAGE POWER	400W	500W	700W	900W	500W	700W	900W	1000W
GIFT BOX SIZE (MM)	240*240*260	280*285*280	300*300*310	300*300*325	280*285*280	300*300*310	300*300*325	305*300*335
CARTON SIZE (MM)	740*255*540	578*295*580	625*315*330	625*315*345	578*295*580	625*315*330	625*315*345	630*320*345
OPTION CAPACITY (L)	2	3	4	5	3	4	5	6
PCS/CTN	6	4	2	2	4	2	2	2
20'	1644	1332	1014	970	1332	1014	970	948
40HQ	4032	2812	1862	1862	2812	1862	1862	1800

ISO CE CB EMC RoHS LVD LFGB SASO ERP

VACUUM SEALER SERIES

PRODUCT FEATURES:

- * Compact size and elegant simple design
- * 30cm lengthened sealing
- * Both wet and dry modes are suitable for different ingredients
- * Special pumping function for bread, berries and other soft products
- * 60KP powerful suction, vacuum rate 99.99%
- * External connector can be used for vacuuming bottles and food containers



JT-F01



JT-F02

MODEL	JT-F01 JT-F02
VOLTAGE POWER	120W/220V/50Hz
GIFT BOX SIZE (MM)	425*120*200
CARTON SIZE (MM)	640*445*420
PCS/CTN	10
WIDTH OF SEAL	300
20'	2250
40HQ	5400

ISO € CB EMC RoHS LVD LFGB SASO ERP

VACUUM SEALER SERIES



JT-F03



MODEL	JT-F03
VOLTAGE POWER	120W/220V/50Hz
GIFT BOX SIZE (MM)	425*120*200
CARTON SIZE (MM)	640*445*420
PCS/CTN	10
WIDTH OF SEAL	300
20'	2250
40HQ	5400

ISO € CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC KETTLE

JT-KT0801

1000W Rated Power
0.8 Capacity

- * Anti-scald housing body with 304 stainless steel inside designSmall capacity kettle
- * High quality double metal water-proof controller
- * All copper power cord
- * Easy operation for all people



JT-KT2003



JT-KT2008



JT-KT2208

MODEL	JT-KT0801	JT-KT2003	JT-KT2008	JT-KT2208
VOLTAGE POWER	1000W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	170*170*210	215*170*265	215*170*265	215*170*265
CARTON SIZE (MM)	700*360*435	660*350*550	660*350*550	660*350*550
OPTION CAPACITY (L)	0.8	2.0	2.0	2.0
PCS/CTN	16	12	12	12
20'	3792	2680	2680	2680
40HQ	9920	5712	5712	5712

ISO CE CB EMC RoHS LVD LFGB SASO ERP

ELECTRIC KETTLE

JT-KT1201

1360W Rated Power
1.2L Capacity

- * Anti-scald housing body with 304 stainless steel inside designSmall capacity kettle with long mouth design
- * High quality double metal water-proof controller
- * All copper power cord
- * Easy operation for all people



JT-KT1812



JT-KT1805



JT-KT1807

MODEL	JT-KT1201	JT-KT1812	JT-KT1805	JT-KT1807
VOLTAGE POWER	1360W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz	1500W 220-240V~/50-60Hz
GIFT BOX SIZE (MM)	205*165*185	190*190*240	190*190*240	190*190*240
CARTON SIZE (MM)	675*425*390	775*390*500	775*390*500	775*390*500
OPTION CAPACITY (L)	1.2	1.8	1.8	1.8
PCS/CTN	16	16	16	16
20'	3840	3060	3060	3060
40HQ	9712	7120	7120	7120

ISO CE CB EMC RoHS LVD LFGB SASO ERP